

AluFix® Classic

Quick installation guide for flat roof



Scan to watch
assembly video

Product and Safety Instructions

Product Description

The AluFix® Classic Fall Protection System is a temporary counterweighted guard rail designed for safe work on roofs with an inclination of up to 10°. The system complies with EN 13374 Class A requirements. With the optional Parapet Clamp extension, the system can be adapted to various roof configurations. The system consists of prefabricated components that are assembled into a continuous safety guard rail. Secure knob-screw locking clamps allow quick assembly without tools.

The counterweighted version can be installed on roofs with a parapet height of at least 50 mm or a similar raised edge structure with a toe board. If the parapet height exceeds 150 mm, the AluFix® toe board is not required.

When used with the Parapet Clamp extension, the system can be installed on parapets with a minimum height of 150 mm and a maximum thickness of 550 mm. In this configuration, the toe board is not required.

The system is supplied in stackable galvanized steel transport racks for easy transportation and storage. Each rack accommodates up to 50.4 m of guard rail and all necessary accessories. Extension components should be transported separately.

Safe Working Practices

Roof work must always be carried out with caution. Access and escape routes must remain clear, and the work area should be kept tidy to reduce the risk of dropped tools or materials.

Personal Protective Equipment

Appropriate personal protective equipment (PPE) must be worn during assembly, disassembly, relocation, or partial dismantling of the system.


Always inspect PPE before use to ensure it is in good condition.

Safety Considerations

- Use only approved safety equipment.
- Use only tools suitable for roof work.
- Plan fall protection measures before work begins.
- A system layout plan is recommended before installation.




AluFix® Classic

Select Installation Type





AluFix® Classic

Safety and Limits



AluFix® Classic



AluFix® Classic

Parts list



90001531

Support leg horizontal part




90000326

Counterweight 20kg




90001660

Support leg vertical part



90001497-2800

Guard rail 2,8 m



90001497-1400

Guard rail 1,4 m

AluFix® Classic



90003761

Guard rail
connector clamp, straight



90003766

Guard rail
connector clamp, hinge



90001680

Toe board support





90001681


Toe board 2,0 m

AluFix® Classic


A. Installation without toeboard







AluFix® Classic




AluFix® Classic





AluFix® Classic






AluFix® Classic







AluFix® Classic



AluFix® Classic





AluFix® Classic






AluFix® Classic

Corner installation option 1






AluFix® Classic


Corner installation option 2




AluFix® Classic




AluFix® Classic



AluFix® Classic





Example of a complete roof enclosure




AluFix® Classic


B. Installation with a toeboard






AluFix® Classic




AluFix® Classic





AluFix® Classic






AluFix® Classic








AluFix® Classic




AluFix® Classic





AluFix® Classic




AluFix® Classic



AluFix® Classic




AluFix® Classic





AluFix® Classic

Corner installation option 1






AluFix® Classic


Corner installation option 2



AluFix® Classic



AluFix® Classic



AluFix® Classic



Example of a complete roof enclosure

